# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

Article No.: 141XXX Hard Wax

 Print date
 28.05.2015
 Revision date 27.05.2015
 EN

 Version
 1.7
 Issue date 27.05.2015
 Page 1/6



## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifiers

Article No. (manufacturer/supplier): 141XXX
Identification of the substance or mixture Hard Wax

all colours and forms

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses:

Surface repair wax

### 1.3. Details of the supplier of the safety data sheet

### supplier (manufacturer/importer/downstream user/distributor)

Heinrich König & Co.KG

An der Rosenhelle 5 Telephone: +49 6101 53600 D-61138 Niederdorfelden Telefax: +49 6101 5360 11

Dept. responsible for information:

laboratory +49 6101 536071

Only available during office hours: Monday - Thursday 08:00 - 17:00

Friday 08:00 - 13:30

E-mail (competent person) SDB@heinrich-koenig.de

1.4. Emergency telephone number

Emergency telephone number Emergency CONTACT (24-Hour-Number):GBK

GmbH+49 (0)6132-84463

### 2. Hazards identification

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard pictograms** 

**Hazard statements** 

n.a.

**Precautionary statements** 

n.a.

contains:

n.a.

Supplemental Hazard information (EU)

n.a.

### 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

### 3. Composition / Information on ingredients

### 3.1. Substances

not applicable

### 3.2. Mixtures

## Product description / chemical characterization

**Description** Mixture of wax

**Hazardous ingredients** 

Classification according to Regulation (EC) No. 1272/2008 [CLP]

EC No. REACH No. CAS No. Chemical name

Wt %


INDEX No.

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

Article No.: 141XXX Hard Wax

Print date 28.05.2015 Revision date 27.05.2015 Version 1.7 Revision date 27.05.2015

classification:





n.a.

### Additional information

Full text of classification: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 5. Firefighting measures

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Extinguishing media which must not be used for safety reasons:

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

### 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

### 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

### 7. Handling and storage

# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

141XXX Article No.: Hard Wax

Print date 28.05.2015 Revision date 27.05.2015 ΕN Issue date 27.05.2015 Page 3/6 Version



#### 7.1. Precautions for safe handling

### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

### Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

### Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. **Control parameters**

### Occupational exposure limit values:

### 8.2. **Exposure controls**

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

### Occupational exposure controls

### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

# Filtering device (full mask or mouthpiece) with filter: AX1

# Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye protection

Wear closely fitting protective glasses in case of splashes.

### **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

# according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) No 453/2010

Article No.: 141XXX Hard Wax

 Print date
 28.05.2015
 Revision date 27.05.2015
 EN

 Version
 1.7
 Issue date 27.05.2015
 Page 4 / 6



### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:

Physical state solid

ColourcharacteristicOdourcharacteristic

Safety relevant basis data		Unit	Method	Remark
Flash point:	n.a.			
Ignition temperature in °C:	n.a.			
Lower explosion limit	n.a.			
Upper explosion limit	n.a.			
Vapour pressure at 20 °C:	n.a.			
Density at 20 °C:	1,03	g/cm³	calculated.	
Vapour density; Bulk density	N.A.	kg/m³		
Water solubility (g/L)	insoluble			
pH at 20 °C:	N.A.			
Viscosity at 100 °C	40	mPa⋅s		
Distribution coefficient (n-octanol / water) (log P O/W)	N.A.			
solvent content:				
Organic solvents:	0	Wt %		
Water:	0	Wt %		
Initial boiling point and boiling range	0	°C	calculated.	
Melting point/freezing point	N.A.	°C		
Evaporation rate	N.A.	°C		
Auto-ignition temperature:	N.A.	°C		
Decomposition temperature:	N.A.	°C		

### 9.2. Other information:

Explosive properties not explosive.

Not oxidising.

Odour threshold: not determined

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

# 10. Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions.

## 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5. Incompatible materials

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides. Keine Entstehungsgefahr der oben ange=führten Produkte bei sachgemäßem Umgang

# 11. Toxicological information

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP] No data on preparation itself available.

## 11.1. Information on toxicological effects

### **Acute toxicity**

Toxicological data are not available.

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

141XXX Article No.: Hard Wax

Print date 28.05.2015 Revision date 27.05.2015 Version

FN Issue date 27.05.2015 Page 5 / 6



### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

### Respiratory or skin sensitisation

Toxicological data are not available.

### Specific target organ toxicity

Toxicological data are not available.

### **Aspiration hazard**

Toxicological data are not available.

### Practical experience/human evidence

### Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### Remark

There is no information available on the preparation itself.

#### 12. **Ecological information**

### overall evaluation

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Toxicological data are not available.

### 12.2. Persistence and degradability

Toxicological data are not available.

### 12.3. Bioaccumulative potential

Toxicological data are not available.

## 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

No data available

### **Disposal considerations** 13.

### 13.1. Waste treatment methods

### Appropriate disposal / Product

### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

## packaging

## Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **Transport information**

No dangerous good in sense of this transport regulation.

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010

141XXX Article No.: Hard Wax

Print date 28.05.2015 Revision date 27.05.2015 Version

ΕN Issue date 27.05.2015 Page 6 / 6



14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a. Marine pollutant n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

### Additional information

### Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No. n.a.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

#### 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-quideline).

VOC-value (in q/L) ISO 11890-2: VOC-value (in g/L) ASTM D 2369: 0,000 0.000

**National regulations** 

### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

### Other regulations, restrictions and prohibition regulations

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

## Other information

### Full text of classification in section 3:

### **Additional information**

Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.