

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: UltraGrip[™] Lo 4300 Reducer

Product Code: 43501, 43504, 43505

Company Identification: 24 Hour Transportation Emergency: Hawk Research Laboratories, LLC. ChemTel: 800.255.3924 (US and Canada)

7150 Capitol Drive Contract Number: MIS0002644

Wheeling, IL 60090 Outside US and Canada

Telephone: 630.227.0050 ChemTel: 011.1.813.248.0585

Email: info@hawklabs.com

Recommended use of the chemical and restrictions of use:

Because many of the conditions are within the user's knowledge and control, it is essential that the user evaluate and determine whether the product is suitable and appropriate for an intended application, and complies with all local applicable laws, regulations, standards, and guidance.

SECTION 2: HAZARDS IDENTIFICATION

GHS RATINGS:

CATEGORY	HAZARD STATEMENT
2	H225: Highly flammable liquid and vapor
1	H304: May be fatal if swallowed and enters airways
2	H315: Causes skin irritation
2A	H319: Causes serious eye irritation
3	H335: May cause respiratory irritation
2	H351: Suspected of causing cancer
2	H373: May cause damage to organs through
	prolonged or repeated exposure
	2 1 2 2A 3

Hazard Symbols (Pictograms):







Signal Word: DANGER

Precautionary Statements:

Prevention:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

SAFETY DATA SHEET



P241: Use explosion-proof [electrical, ventilating, lighting] equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P264: Wash thoroughly after handling.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P271: Use only outdoors or in a well-ventilated area.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

Response:

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370+P378: In case of fire: Use water spray, alcohol resistant foam, dry chemical or carbon dioxide to extinguish.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331: Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P314: Get medical advice/attention if you feel unwell.

Storage:

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501: Dispose of contents/container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Proprietary Ingredient 1	Proprietary	75-95
Proprietary Ingredient 2	Proprietary	10-25
Proprietary Ingredient 3	Proprietary	1-10
Ethylbenzene	100-41-4	1-5

The exact percentage is withheld as trade secret. Other components are below reportable levels or are non-hazardous.

SECTION 4: FIRST AID MEASURES

HAWK RESEARCH LABORATORIES, LLC. High Performance Coating Systems

SAFETY DATA SHEET

Inhalation: If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. Get medical attention.

Eye Contact: In case of contact, flush eyes gently with lukewarm water. Ensure that eyelids are separated

while rinsing. Get medical attention.

Skin Contact: In case of skin contact, wash affected areas with soap and water. Immediately remove

contaminated clothing and shoes. Get medical attention if irritation develops or persists.

Ingestion: If ingested, do not induce vomiting unless directed by medical personnel. Get medical

attention.

Most Important Symptoms/Effects, Acute and Delayed:

Aside from the information found under the First Aid Measures (above) and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicological Information Indication of Immediate Medical Attention and Special Treatment Needed:

Notes to Physician: Treat symptomatically. No specific antidote available.

SECTION 5: FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water spray, alcohol resistant foam, dry chemical or carbon dioxide

Specific Hazards Arising from

the Chemical:

Highly flammable liquid and vapor. Vapors may cause a flash fire or explosion. Vapors can travel to source of ignition and flash back. Closed

containers may explode under extreme heat.

Special Protection Actions for

Firefighters:

Wear self-contained breathing apparatus for firefighting, if necessary. Use cold water spray to cool fire-exposed containers to minimize risk of rupture.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Immediately turn off or isolate any sources of ignition (pilot lights, electrical equipment, flames, heaters, etc.). Evacuate area and ventilate.

Environmental Precautions:

Do not allow to enter drains or sewers. All disposal must comply with federal, state, and local regulations. The material, if discarded or spill, may be a regulated waste. Refer to state and local regulations. Department of Transportation (DOT) regulations may apply for transporting this material when spilled. See Section 14. CAUTION: If spilled material is cleaned up using a regulated solvent, the resulting waste mixture will also be regulated.

Methods and Materials for Containment and Cleaning Up:

Personnel wearing proper protective equipment should contain spill immediately with inert materials (sand, earth, chemical spill pads of cotton) by forming dikes. Dikes should be placed to contain spill in a manner that will prevent material from entering sewers and waterways. Large spills, once contained, may be picked up using explosion-proof, non-sparking vacuum pumps, shovels, or buckets, and disposed of in suitable containers.

SAFETY DATA SHEET



If a large spill occurs, notify the appropriate authorities. In case of spill or accident, contact CHEMTEL at 800.255.3924.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling:

Open containers carefully and in a well-ventilated area, using appropriate respiratory protection. Wash hands thoroughly after handling. Keep containers closed when not in use. Do not transfer to unmarked containers. Empty containers may contain product residue which may exhibit hazardous properties; therefore, do not pressurize, cut, glaze, weld or use for any other purpose.

Conditions for Safe Storage:

Store in a cool, dry, well-ventilated area. Keep containers tightly closed and store away from heat, sparks, open flame, or oxidizing materials. Extended storage at excessive temperatures may produce odorous and toxic fumes from product decomposition.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

control i diameters.		
Chemical Name	Value/Notation	
Proprietary Ingredient 1	ACGIH: 500 ppm (TWA)	
Proprietary Ingredient 2	ACGIH: 500 ppm (TWA)	
Proprietary Ingredient 3	ACGIH: 20 ppm (TWA)	
Ethylbenzene	ACGIH: 20 ppm (TWA)	

Appropriate Engineering Controls:

Avoid creating dust or mist. Local exhaust ventilation, process enclosures, or other engineering controls are required when handling or using this product to avoid overexposure. Use explosion-proof ventilation equipment. Do not use in closed and confined spaces. keep all levels below exposure limits. Perform regular monitoring to ensure exposure limits are not exceeded.

Personal Protective Equipment (PPE):

Respiratory Protection:

Do not breathe vapors. When concentrations exceed the established limits, wear an appropriate, properly fitted respirator (NIOSH/MSHA) until vapors are exhausted. Observe OSHA standard 29 CFR 1910.134 and ANSI Z88.2 requirements whenever workplace conditions require a respirator's use.

Hand Protection:

Wear appropriate protective gloves and clothing to prevent skin exposure. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves' outer surface) to avoid skin contact with the product.

Eye Protection:

Use safety eyewear with splash guards and side shields. Use additional eye protection, such as chemical safety goggles when the possibility for eye contact from splashing, spraying liquid, or airborne material exists.

Skin Protection:

HAWK RESEARCH LABORATORIES, LLC. High Performance Coating Systems

SAFETY DATA SHEET

Avoid contact with this product. Wear appropriate protective gloves and clothing to prevent skin exposure. Use proper glove and clothing remove techniques to avoid skin contact with this product. When handling large quantities, eye wash stations and deluge showers should be available.

Hygiene Measures:

General:

When using this product, do not eat or drink. Wash hands with soap and water before breaks and at the end of each workday.

Not determined

Contaminated Equipment:

Avoid contact with contaminated clothing and protective clothing. Wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Freezing Point:

Physical State/Color: Liquid/clear
Odor: Mild odor
Odor Threshold: Not determined
pH: Not applicable

Boiling Point: >135°F **Flash Point:** 0°F

Evaporation Rate:

Flammability (solid, gas):

Lower and Upper Explosive Limits:

Vapor Pressure:

Vapor Density:

Not determined

Not determined

Not determined

Relative Density: 0.8 **Solubility:** Partial

Partition Coefficient: n-octanol/water
Auto-ignition Temperature:

Decomposition Temperature:

Viscosity:

Not determined
Not determined
Not determined

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable

Possibility of Hazardous Reaction: Hazardous polymerization will not occur

Conditions to Avoid:Heat, flames and sparksIncompatible Materials:Strong oxidizing agents

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

HAWK RESEARCH LABORATORIES, LLC. High Performance Coating Systems

SAFETY DATA SHEET

Acute Toxicity:

Acute Oral Toxicity:LD50 > 5000 mg/kgAcute Dermal Toxicity:LD50 > 5000 mg/kgAcute Inhalation Toxicity:LC50 > 50 mg/L

Skin Corrosion/Irritation: Causes skin irritation

Serious Eye Damage/

Eye Irritation:

Causes serious eye irritation

Respiratory or Skin Sensitization: No adverse effects known

Germ Cell Mutagenicity: No data available

Carcinogenicity: The following chemical(s) comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

CAS Number Chemical Name Carcinogen Rating

100-41-4 Ethylbenzene IARC: Possible human carcinogen

Reproductive Toxicity: No data available

Specific Target Organ Systemic Toxicity: May cause respiratory irritation

Aspiration Hazard: May be fatal if swallowed and enters airways

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY

Component Ecotoxicity:

No data available

Persistence and Degradability: No data available

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Do not discharge product into sewer system. Dispose of in a licensed facility. Waste management should be in full compliance with federal, state, and local laws.

The transportation, storage, treatment and disposal of RCRA waste material must be conducted in compliance with 40 CFR 262, 263, 264, 268, and 270. Chemical additions, processing, and otherwise altering this material, may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SDS: UltraGrip™ Lo 4300 Reducer





SECTION 14: TRANSPORT INFORMATION

Shipping Information

UN1263 Paint Related Material, Class 3, PGII

This information is not intended to cover all specific regulatory or operational requirements relating to this product. Transportation classifications may vary by container volume and may be influenced by country regulations. Additional transportation information can be obtained through a customer service representative.

SECTION 15: REGULATORY INFORMATION

Toxic Substances Control Act (TSCA): All substances in this product are listed in the TSCA Chemical Substance Inventory.

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65):

WARNING: This product contains the following substances known to the State of California to cause cancer, birth defects or other reproductive harm.

100-41-4 Ethylbenzene

Clean Air Act, Section 112, Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

1330-20-7 Xylene

78-93-3 Methyl Ethyl Ketone 100-41-4 Ethylbenzene

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA):

This product contains the following chemicals, which are subject to the reporting requirements of the Act, and Title 40 CFR 372:

1330-20-7 Xylene 100-41-4 Ethylbenzene

SECTION 16: OTHER INFORMATION

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Hawk Research Laboratories, LLC (Seller) makes no representations as to the completeness or accuracy thereof. Seller has prepared this document using data from sources considered to be technically reliable and accurate. Information is supplied upon the condition that persons receiving it will make their own determination as to its suitability for their purpose prior to use. In no event will Seller be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. No representations or warranties either expressed or implied, or merchantability, fitness for a particular purpose in any other nature are made hereunder with respect to information for the product to which information refers.

Issue Date: November 1, 2018